

## REFERENCES

- Bagnold, R.A., 1966. An approach to the sediment transport problem from general physics: *U.S. Geol. Survey Prof. Paper*: 422-I.
- Bansak, T. S. 1998. The influence of vertical hydraulic exchange on habitat heterogeneity and surficial primary production on a large alluvial flood plain of the Middle Fork Flathead River. The University of Montana, Missoula. 68 pp.
- Baxter, C. V. and F. R. Hauer. 2000. Geomorphology, hyporheic exchange, and selection of spawning habitat by bull trout (*Salvelinus confluentus*). Canadian Journal of Fisheries and Aquatic Sciences 57:1470-1481.
- Baxter, C. V. and F. R. Hauer and W. W. Woessner. 2003. Measuring groundwater-stream water exchanges: New techniques for installing piezometers, estimating hydraulic conductivity and detecting patterns in groundwater-stream water exchange. Transactions of the American Fisheries Society 132 (3):493-502.
- Braatne, J. H., S. B. Rood and P. E. Heilman. 1996. Life history, ecology and conservation of riparian cottonwoods in North America, pp. 57-85. IN: Stettler, R.F., H. D. Bradshaw, P .E. Heilman and T. M. Hinckley (eds.), Biology of *Populus*: Implications for Management and Conservation. National Research Council, Ottawa.
- Costa, J.E. and J.E. O'Connor. 1995. Geomorphically Effective Floods, pp. 45-56. IN: Costa, J.E., A.J Miller, K.W. Potter and P.R. Wilcock (eds.), Natural and Anthropogenic Influences in Fluvial Geomorphology. Geophysical Monograph 89: The Wolman Volume
- Gopal, S. and C. Woodcock. 1994. Theory and methods for accuracy assessment of thematic maps using fuzzy sets. Photogram. Eng. Remote Sensing 60(2):181-188.
- Gregory, S. V., F. J. Swanson, W. A. McKee, and K. W. Cummins. 1991. An ecosystem perspective of riparian zones. BioScience 41:540-552.
- Harner, M. J. and J. A. Stanford. 2003. Differences in cottonwood growth between a losing and a gaining reach of an alluvial flood plain. Ecology 84(6):1453–1458.
- Hauer, F. R., C. N. Dahm, G. A. Lamberti and J. A. Stanford. 2003. Landscapes and ecological variability of rivers in North America: factors affecting restoration strategies, pp. IN: Wissmar, R. C. and P. A. Bisson (ed.), Strategies for Restoring River Ecosystems: Sources of Variability and Uncertainty in Natural and Managed Systems. American Fisheries Society.

- Hauer, F. R. and J. A. Stanford. 1991. Distribution and abundance of Trichoptera in a large regulated river. *Verhandlungen der Internationalen Vereinigung fur Theoretische und Angewandte Limnologie* 24:1636-1639.
- Hauer, F. R., J. A. Stanford, J. J. Giersch and W. H. Lowe. 2000. Distribution and abundance patterns of macroinvertebrates in a mountain stream: an analysis along multiple environmental gradients. *Verh. Internat. Verein. Limnol.* 27(3):1485-1488.
- Hutto, R. L., and J. S. Young. 2002. Regional landbird monitoring: perspectives from the northern Rocky Mountains. *Wildlife Society Bulletin* 30:738-750.
- Karr, J. R. and E. W. Chu. 1999. Restoring Life in Running Waters. Island Press, Washington, D.C. 206 pp.
- Kershner, J.L. 1997. Setting riparian/aquatic restoration objectives within a watershed context. *Restoration Ecology* 5: 15-24.
- Lake, P.S. 2000. Distribution, patchiness and diversity in streams. *J. North. Am. Benthol. Soc.* 19:573-592.
- Mahoney, J. M. and S. B. Rood. 1998. Streamflow requirements for cottonwood seedling recruitment--an integrative model. *Wetlands*. 18:634-645.
- Meriglano, M.F. 1996. Flood-plain and vegetation dynamics along a gravel bed, braided river in the northern Rocky Mountains. Ph.D. Dissertation. The University of Montana, Missoula, MT. 180 pp.
- Mouw, J.E.B. and Alaback, P.B. 2003. Putting floodplain hyperdiversity in a regional context: an assessment of terrestrial-floodplain connectivity in a montane environment. *Journal of Biogeography* 30, 87-103.
- Muller, S.V., D.A. Walker, F.E. Nelson, N.A. Auerbach, J.G. Bockheim, S. Guyer, and D. Sherpa. 1998. Accuracy assessment of a land-cover map of the Kuparuk River basin, Alaska: Considerations for remote regions. *Photogr. Eng. Remote Sensing* 64 (6): 619-628.
- Pepin, D. M. and F. R. Hauer. 2002. Benthic responses to groundwater-surface water exchange in two alluvial rivers in northwestern Montana. *Journal of North American Benthological Society* 21(3):370-383.
- Rood, S.B., A.R. Kalischuk and J.M. Mahoney. 1998. Initial cottonwood seedling recruitment following the flood of the century of the Oldman River, Alberta, Canada. *Wetlands* 15:557-570.
- Stanford, J. A. 1998. Rivers in the landscape: introduction to the special issue on riparian and groundwater ecology. *Freshwater Biology* 40(3):402-406.
- Stanford, J. A. and F. R. Hauer. 1992. Mitigating the impacts of stream and lake regulation in the Flathead River catchment, Montana, USA: an ecosystem perspective. *Aquatic Conservation: Marine and Freshwater Ecosystems* 2:35-63.

- Stanford, J.A., F.R.Hauer, J.S. Kimball, M.S. Lorang, R. Callaway, and W.W. Woessner. 2001. Biocomplexity-Dynamic Controls on Emergent Properties of River Flood Plains. Funded proposal to the National Science Foundation.
- Stanford, J. A. and J. V. Ward. 1988. The hyporheic habitat of river ecosystems. *Nature* 335:64-66.
- Stanford, J. A. and J. V. Ward. 1993. An ecosystem perspective of alluvial rivers: connectivity and the hyporheic corridor. *Journal of the North American Benthological Society* 12(1):48-60.
- Ward J.V., K. Tockner and F. Schiemer 1999. Biodiversity of floodplain river ecosystems: ecotones and connectivity. *Regul. Rivers: Res. Mgmt.* 15:125-39.
- Tou, J. T., and Gonzalez, R. C. 1977. Pattern Recognition Principles. Addison-Wesley, Reading, Massachusetts, USA.